



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

December 18, 2012

Mr. Thomas C. & Mrs. Marianne B. Nance
302 Robin Road
Usk, Washington 99180-8733

COPY

Re: Surface Water Permit No. S3-30514

Dear Mr. & Mrs. Nance:

Enclosed is your permit to be retained for your records. Please read the enclosed information sheet, as well as your entire permit.

This permit authorizes you to construct your project and put water to use.

We are enclosing a *Construction Notice* form. Once you begin construction, complete and submit the form to this office. **If you cannot begin your project by September 1, 2013, you must contact this office to apply for an extension.**

If you have any questions, please contact Kevin Brown at 509-329-3422.

Sincerely,

Karen Tusa
Water Resources Program
Eastern Regional Office

KT:md

Enclosures: Permit

Construction Notice
Important Information About Your Water Right Permit



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

PRIORITY DATE
May 24, 2006

PERMIT NUMBER
S3-30514

MAILING ADDRESS
Thomas C. and Marianne B. Nance
302 Robin Road
Usk, WA 99180-8733

SITE ADDRESS (IF DIFFERENT)

Quantity Authorized for Diversion

DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.13	CFS	5.74

Purpose of Use

PURPOSE	DIVERSION RATE		UNITS	ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE		ADDITIVE	NON-ADDITIVE	
Irrigation	0.13		CFS	5.74		May 1 – Oct 1
Fire Protection						As needed

IRRIGATED ACRES

ADDITIVE
2

NON-ADDITIVE

PUBLIC WATER SYSTEM INFORMATION

WATER SYSTEM ID

CONNECTIONS

Source Limitations

SOURCE	DIVERSION RATE	ANNUAL QUANTITY (AF/YR)	PERIOD OF USE (mm/dd)
PEND OREILLE RIVER	0.13 cfs	5.74	May 1- Oct 1

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
PEND OREILLE	PEND OREILLE RIVER	COLUMBIA RIVER	62-PEND OREILLE

SOURCE	PARCEL	TWP	RNG	SEC	QQ Q	LATITUDE	LONGITUDE
PEND OREILLE RIVER	443209510032 Lot 8, Pend Oreille River Ranch	32	44 E.	9	SE¼SE¼	48.28337° N	117.24378° W

Datum: WGS84

PERMIT

Place of Use (See Attached Map)**PARCELS (NOT LISTED FOR SERVICE AREAS)**

443209510032

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Lot 8, Pend Oreille River Ranch

The North 375 feet of the South 1,085 feet of the East 1,320 feet of Section 9, and the North 375 feet of the South 1,085 feet of the West 1,035 feet of Section 10, all being in Township 32 North, Range 44 East of The Willamette Meridian, Pend Oreille County, Washington

Proposed Works

3/4 horsepower submersible pump, sprinklers

Development Schedule**BEGIN PROJECT**

September 1, 2013

COMPLETE PROJECT

September 1, 2014

PUT WATER TO FULL USE

September 1, 2014

Measurement of Water Use

How often must water use be measured?

Weekly

How often must data be reported to Ecology?

Upon Request by Ecology

What volume should be reported?

Total Annual Volume

What rate should be reported?

Annual Peak Rate of Diversion (gpm or cfs)

Provisions**Pend Oreille River Low Flow**

All irrigation shall cease when the flow of the Pend Oreille River falls below 7700 cubic feet per second at U.S. Geological Survey (U.S.G.S.) gage #12395500, Pend Oreille River at Newport, located within Section 24, Township 56 N., Range 6 W.B.M.

Measurements, Monitoring, Metering and Reporting

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Proof of Appropriation

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

Schedule and Inspections

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Dated this 18th day of December, 2012, at Spokane, Washington,

Department of Ecology

DATA REVIEW
OK RA

by Keith L. Stoffel
Keith L. Stoffel, Section Manager

KLS/KT:md
W: Permits/Tusa/2012/Nance S3-30514 permit 12-18-2012.doc